**14-2.** In general 
$$\tilde{E} = \left[ E_{0x} e^{i\varphi_x} \widehat{xx} + E_{0y} e^{i\varphi_y} \hat{y} \right] e^{i(kz - \omega t)} = \left| \frac{E_{0x} e^{i\varphi_x}}{E_{0y}} e^{i\varphi_y} \right| e^{i(kz - \omega t)} = \tilde{E}_0$$

(a) 
$$\tilde{E} = [E_0\hat{x} - E_0\hat{y}]e^{i(kz - \omega t)} \Rightarrow \tilde{E}_0 = E_0\begin{bmatrix} 1\\ -1 \end{bmatrix} \Rightarrow \frac{1}{\sqrt{2}}\begin{bmatrix} 1\\ -1 \end{bmatrix}$$
. Linearly polarized at  $-45^{\circ}$ .

(b) 
$$\tilde{E} = [E_0\hat{x} + E_0\hat{y}]e^{i(kz - \omega t)} \Rightarrow \tilde{E}_0 = E_0\begin{bmatrix}1\\1\end{bmatrix} \Rightarrow \frac{1}{\sqrt{2}}\begin{bmatrix}1\\1\end{bmatrix}$$
. Linearly polarized at 45°.

(c) 
$$\tilde{E} = \left[E_0\hat{x} + E_0e^{-i\pi/4}\hat{y}\right]e^{i(kz-\omega t)} \Rightarrow \tilde{E}_0 = E_0\left[\frac{1}{e^{-i\pi/4}}\right] \Rightarrow \frac{1}{\sqrt{2}}\left[\frac{1}{\sqrt{2}}(1-i)\right]$$
. Then,

$$\tan 2\alpha = \frac{2E_{0x}E_{0y}\mathrm{cos}\,\varepsilon}{E_{0x}^2 - E_{0y}^2} \rightarrow \infty \Rightarrow 2\,\alpha = 90^\circ,\,\alpha = 45^\circ$$

Right elliptically polarized at 45°.

(d) 
$$\tilde{E} = \left[ E_0 \hat{x} + E_0 e^{i\pi/2} \hat{y} \right] e^{i(kz - \omega t)} \Rightarrow \tilde{E}_0 = E_0 \begin{bmatrix} 1 \\ e^{i\pi/2} \end{bmatrix} \Rightarrow \frac{1}{\sqrt{2}} \begin{bmatrix} 1 \\ i \end{bmatrix}$$
. Left-circularly polarized.

$$\textbf{14-3. In general } \tilde{\boldsymbol{E}} = \left[E_{0x}e^{i\varphi_x}\hat{\boldsymbol{x}} + E_{0y}\,e^{i\varphi_y}\hat{\boldsymbol{yy}}\,\right]e^{i(kz-\omega t)} = \begin{bmatrix}E_{0x}e^{i\varphi_x}\\E_{0y}\,e^{i\varphi_y}\end{bmatrix}e^{i(kz-\omega t)} = \tilde{E}_0e^{i(kz-\omega t)}$$

(a) 
$$\tilde{E} = (2 E_0 \hat{x} + 0 \hat{y}) e^{i(kz - \omega t)} \Rightarrow \tilde{E}_0 = 2 E_0 \begin{bmatrix} 1 \\ 0 \end{bmatrix}$$
. Linearly polarized along the x-direction. Velocity is in the +z-direction. The amplitude is  $A = 2 E_0 \sqrt{1^2 + 0^2} = 2 E_0$ .

(b) 
$$\tilde{E} = (3E_0\hat{x} + 4E_0\hat{y})e^{i(kz-\omega t)} \Rightarrow \tilde{E}_0 = E_0\begin{bmatrix} 3\\4 \end{bmatrix}$$
. The polarization direction makes the angle  $\alpha$  with the x-axis where.

$$\alpha = \tan^{-1}(4/3) = 53^{\circ}$$

The wave is traveling in the +z-direction with amplitude  $A = \sqrt{3^2 + 4^2} E_0 = 5 E_0$ .

(c) 
$$\tilde{E} = 5 E_0(\hat{x} - i\hat{y})e^{i(kz+\omega t)} \Rightarrow \tilde{E}_0 = 5E_0\begin{bmatrix} 1\\ -i \end{bmatrix}$$
. The propagation is in the +z-direction. The wave is right-circularly polarized with amplitude. The electric field vector traces out a circle of radius  $5 E_0$ .

**14-4.** (a) 
$$\tilde{E}_1 = E_{01}(\hat{x} - \hat{y})e^{i(kz - \omega t)} \Rightarrow \tilde{E}_{01} = 2E_{01}\begin{bmatrix}1\\-1\end{bmatrix}$$
. This is linearly polarized along  $-45^{\circ}$ 

$$\tilde{E}_2 = E_{02}\left(\sqrt{3}\hat{x} + \hat{y}\right)e^{i(kz - \omega t)} \Rightarrow \tilde{E}_{02} = E_{02}\begin{bmatrix}\sqrt{3}\\1\end{bmatrix}$$
. This is linearly polarized along  $\alpha = \tan^{-1}\left(\frac{1}{\sqrt{3}}\right) = 30^{\circ}$ 
The angle between the two is 75°.

(b) 
$$\tilde{E}_{01} \cdot \tilde{E}_{02} = E_{01} E_{02} (\sqrt{3} - 1) = (\sqrt{2} E_{01}) (\sqrt{3} + 1^2 E_{02}) \cos(\theta_{12}) \Rightarrow \cos \theta_{12} = \frac{\sqrt{3} - 1}{2\sqrt{2}} \Rightarrow \theta_{12} = 75^{\circ}$$

14-13. See Figure 14-13 that accompanies the statement of this problem in the text. Using the Jones formalism,

14-14. Using the Jones formalism,

$$\begin{bmatrix} 0 & 0 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} \begin{bmatrix} 1 & 0 \\ 0 & i \end{bmatrix} \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} \begin{bmatrix} 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$$
 No light 
$$\begin{bmatrix} LP \\ TA vert \end{bmatrix}$$
 The range of the rang

14-17. Consider the action of the matrix on a general Jones vector,

$$\begin{bmatrix} 1 & i \\ -i & 1 \end{bmatrix} \begin{bmatrix} A \\ B+i \, C \end{bmatrix} = \begin{bmatrix} A+i \, B-C \\ -i \, A+B+i \, C \end{bmatrix} = (A-C+i \, B) \begin{bmatrix} 1 \\ -i \end{bmatrix} \text{: Right circular polarization}$$

For a left-circular polarizer try.

$$\begin{bmatrix} 1 & -i \\ i & 1 \end{bmatrix} \begin{bmatrix} A \\ B+iC \end{bmatrix} = \begin{bmatrix} A-iB+C \\ iA+B+iC \end{bmatrix} = (A+C-iB) \begin{bmatrix} 1 \\ +i \end{bmatrix} \text{: Left circular polarization}$$

**14-18.** Note that,

$$\begin{bmatrix} 1 \\ \pm i \end{bmatrix} + \begin{bmatrix} \cos \alpha \\ \sin \alpha \end{bmatrix} = \begin{bmatrix} \cos \alpha + 1 \\ \sin \alpha \pm i \end{bmatrix} = \begin{bmatrix} A \\ B \pm i C \end{bmatrix}$$
   
 Circular Linear Linear

**15-2.** The polarizing angle is given by the relation,  $\tan \theta_p = \frac{n_2}{n_1}$ . So for  $n_{\rm air} = 1$  and  $n_{\rm diam} = 2.42$ 

$$\begin{split} &\text{Internal reflection:} \quad \theta_p = \tan^{-1} \left( \frac{n_{\text{air}}}{n_{\text{diam}}} \right) = \tan^{-1} \left( \frac{1}{2.42} \right) = 22.5^\circ \\ &\text{External reflection:} \quad \theta_p = \tan^{-1} \left( \frac{n_{\text{diam}}}{n_{\text{air}}} \right) = \tan^{-1} \left( \frac{2.42}{1} \right) = 67.5^\circ \end{split}$$

**15-4.** 
$$\frac{\lambda}{2} = t (\Delta n) \text{ or } t = \frac{\lambda}{2 \Delta n} = \frac{632.8 \times 1 - ^{-7} \text{ cm}}{2 (1.599 - 1.594)} = 0.063 \text{mm}$$

15-8. The angular offset between successive polarizers is  $\theta = 90^{\circ}/N$ . Applying Malus' law N times in succession,


$$\begin{split} I_T = I_0 \left(\cos^2\theta\right)^N = I_0 \left[\cos{(90^\circ/N)}\right]^{2N} = 0.9 \ I_0 \\ \left[\cos{(90^\circ/N)}\right]^{2N} = 0.9 \end{split}$$

A numerical solution indicates that N is between 23 and 24. For  $N=24, I_T=0.9022\,I_0$ 

**15-9.** Using, 
$$\lambda/4 = (\Delta n) t$$
,

$$t = \frac{\lambda}{4 \Delta n} = \frac{589.3 \times 10^{-6} \,\text{mm}}{4 (1.5534 - 1.5443)} = 0.0162 \,\text{mm}$$

15-10. See Figure 15-24 that accompanies the statement of this problem in the text. Also refer to the figure below for the labeling of the various angles:



At the diagonal interface:

$$E_p$$
 component from  $n_\parallel$  to  $n_\perp$ : 1.4864 sin 45 = 1.6584 sin  $\theta_R$  or  $\theta_R=39.329^\circ$   $E_s$  component from  $n_\perp$  to  $n_\parallel$ : 1.6584 sin 45 = 1.4864 sin  $\theta_R'$  or  $\theta_R'=52.086^\circ$ 

On exit:

Upper ray: 
$$\theta_1 = 45 - \theta_R = 5.671^\circ$$
;  $1.6584 \sin 5.671^\circ = (1) \sin \theta_2$  or  $\theta_2 = 9.432^\circ$   
Lower ray:  $\theta_3 = \theta_R' - 45 = 7.086^\circ$ ;  $1.4864 \sin 7.086^\circ = (1) \sin \theta_4$  or  $\theta_4 = 10.566^\circ$   
Deviation:  $\theta_2 + \theta_4 = 9.432^\circ + 10.566^\circ = 19.997^\circ \approx 20^\circ$ 

- 15-12. See Figure 15-25 that accompanies the statement of the problem in the text.
  - (a) The incident angle is the polarizing angle,

$$\tan\theta_p\!=\!\frac{n_2}{n_1}\!=\!\frac{1.33}{1}\!\Rightarrow\theta_p\!=\!53.12^\circ$$

(b) The angle  $\theta_R$  the refracted ray makes with the normal to the air/water interface is

$$\theta_R = \sin^{-1}\left(\frac{\sin\theta_P}{1.333}\right) = 36.877^\circ$$

 $\theta_R=\sin^{-1}\!\left(\frac{\sin\theta_P}{1.333}\right)=36.877^\circ$  The polarizing angle for the water/glass interface is,  $\theta_P'=\tan^{-1}\!\left(\frac{1.50}{1.333}\right)=48.37^\circ$ 

If the glass surface was parallel to the water surface the angle of incidence on the glass would be  $\theta_R = 36.877^{\circ}$ . However, for complete polarization off the glass,  $\theta_P'$  must be  $48.37^{\circ}$ . Thus the glass must be tilted by  $48.37^{\circ} - 36.88^{\circ} = 11.5^{\circ}$  relative to the water surface.